



DEFENSE LOGISTICS AGENCY
 WEAPONS SUPPORT OKC
 3001 STAFF DRIVE SUITE 2B95
 TINKER AIR FORCE BASE, OK 73145

Date: 21 Oct 2026

To: Honeywell International Inc. (Cage: 06848)

From: DLA-WEAPONS SUPPORT-AOAA
 3001 Staff Drive
 Tinker AFB, OK 73145

Request for Proposal – SPRTA127R1883

1. DLA Weapons Support contemplates acquisition of the following:

Line Items 0001
 NSN: 2915012170177NZ
 Part Number: 441422-11 (alt. PN: 441422-ISS11)
 Noun: Fuel Control, AfterB
 NAICS CODE: 336412
 Line Item 0002
 NSN: 2915DTH2601C2NZ
 Noun: CEMS Tracking
 Purchase Request: FD20302601883
 IUID is required
 This is not a commercial item
 This is an Air Force requirement
 This is not an Export Controlled Item

2. QUANTITY:

Line item 0001: 36 each, Min: 9 / Max: 54
 Line item 0002: 1 LT, CEMS Tracking

Broken out into the following line-item structure:

Line Item	Qty	Ship To (DODAAC)	Mark For
0001	36	SW3211	Account 09
0002	1	AFLCMC/LPZC	CEMS Program Management Office

3. Applicable References:

DFARS 252.211-7003- Item Unique Identification & Valuation
 Critical Safety Item (CSI): Yes
 Quality Assurance: Higher Level Contract Quality Requirements, ISO 9001:2000

4. Contract Terms and Conditions shall be in accordance with Basic Ordering Agreement:
 SPE4A122G0014.

5. Required Delivery:

Line Item 0001	
36 each	On or before: 10 April 2028
Line Item 0002	
1 LT	No later than COB the next business day following the date/time of the occurrence.

6. Request your offer containing firm unit prices, discount terms and delivery schedule be submitted to this Office, Attn: Rhonda Griffin, rhonda.griffin.1@us.af.mil, NLT 21 Nov 2026.

7. Your offer shall be subject to and/or contain the information required by the items below:
- FOB, Inspection shall be at Origin. Acceptance point shall be Origin.
 - The offer shall be valid for a period of not less than 120 days.

Attachments:

1. Transportation Data
2. Packaging
3. Special Packaging
4. IUID
5. CDRL

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST

I. IUID DETAILS: DFARS 252.211.7003

ITEM REQUIRING IUID MARKING

NSN	VERSION NUMBER
2915012170177NZ	2

NOUN
FUEL CONTROL,AFTERB

INITIATOR	ORGANIZATION CODE / OFFICE SYMBOL
Borgerding, Pat L	AFLCMC / LPSEA2

COMMERCIAL PHONE	DSN PHONE
405-734-8690	884-8690

CAGE / REFERENCE NUMBER

MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
Engineering Drawing / ECP / ECO	441422

MARKING TYPE	MARKING METHOD
--------------	----------------

DESCRIPTION / LOCATION

REMARKS

NAME: Baker, Duncan W DATE: 30 JAN 2015

Drawing 441422 has an engineering order 2010C0012 that implements a nameplate with an IUID identifier on it. Engineering order 2010c0012 is currently in place to update drawing 441422 for IUID

ATTACHMENT(S)

II. EMBEDDED ITEMS

SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:

NSN	NOUN
-----	------

CAGE / REFERENCE NUMBER

ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 2915012170177NZ
--

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
------------------	--

MARKING TYPE	MARKING METHOD
--------------	----------------

DESCRIPTION / LOCATION	

REMARKS

ATTACHMENT(S)

PACKAGING REQUIREMENTS																			
PURCHASE INSTRUMENT NUMBER: FD20302601883-00										VERSION: 1									
MIL-STD 129 REVISION: R										MIL-STD 2073-1 REVISION: E									
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																			
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:			
AAB		MIL-STD-2073-1 / SPI						MIL		B		F012170177		A		19022 - 22 JAN 2019			
ITEM(S): 2915012170177NZ 2915DTH2601C2NZ																			
CODED DATA:																			
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI	
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																			
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																			
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																			
ORGANIZATION / OFFICE SYMBOL:				PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:			
406 SCMS / GULAA				Real, Billy S				405-582-9721 / 852-9721				//SIGNED//Real, Billy S				26156 - 05 JUN 2026			

SPECIAL PACKAGING INSTRUCTION				CODE ID 98748	SPI NO (TPO) F 01-217-0177 SHEET 1 OF 4
PART OR DRAWING NO. 441422-11	NATIONAL STOCK NO. 2915-01-217-0177 NZ	CURR REV A	ILL D. CHOI PS D. WALLING CHKR G. VILLARMA ENGR M. HEADLEE AUTH T.C. JONES		
ITEM NOMENCLATURE FUEL CONTROL		ORIG DATE 13344			

PRESERVATION IAW MIL-STD-2073

SERVICEABLE METHOD: 52

UNSERVICEABLE METHOD: 10

QUP 001

ICQ N/A

CLEANING & DRYING IAW MIL-STD-2073

PRESERVATIVE N/A

MARKING IAW MIL-STD-129 

SPECIAL MARKINGS:

A) SPI NO. F 01-217-0177

B) REUSABLE CONTAINER AND DUNNAGE DO NOT DESTROY.

C) NOT FOR OUTSIDE STORAGE.

D) DELICATE INSTRUMENT.

E) DO NOT DROP.

F) SENSITIVE ELECTRONIC DEVICE LABEL WITH DO NOT EXPOSE TO MAGNETIC FIELDS.

G) METHOD 50.

H) FLASH POINT. 

ADDITIONAL MARKINGS FOR ITEMS WITH RESIDUAL FUEL:

A) DANGEROUS GOODS IN APPARATUS, UN3363.

B) CLASS 9 LABEL.

C) TYPE AND FLASH POINT OF FUEL.

PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS

LEVEL	SPEC	STYLE	TYPE	CL	VRTY	GR	TR
A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B	ASTM-D-5118	RSC	CF	WR	SW	V3C	N/A

	LEVEL A	LEVEL B
GROSS CU FT	N/A	7.769
GROSS WT LBS	N/A	88
DESIGN FRAGILITY G	N/A	N/A

CNTNR I.D.	LENGTH	WIDTH	DEPTH
LEVEL A:	N/A	N/A	N/A
LEVEL B:	32 1/4	21	18 1/2

CNTNR O.D.	LENGTH	WIDTH	DEPTH
LEVEL A:	N/A	N/A	N/A
LEVEL B:	32 5/8	21 3/8	19 1/4

ITEM DIM	23 1/4	12	8 3/4
ITEM WT LBS	65 LBS.		

CLOSURE

LEVEL A: N/A

LEVEL B: ASTM-D-1974

REVISIONS		
LTR	DESCRIPTION	DATE
A	CHANGE FUEL STATEMENT IN NOTE (1) & NOTE(3) TO (1) ON MARKING	19022

CAUTION

ITEMS CONTAINING RESIDUAL FUEL ARE CONSIDERED HAZARDOUS MATERIALS AND MUST BE PACKED IAW THE APPROPRIATE HAZARDOUS MATERIAL REGULATION AND CERTIFIED BY AUTHORIZED HAZARDOUS MATERIAL PERSONNEL.

DISTRIBUTION STATEMENT D: DISTRIBUTION AUTHORIZED TO DEPARTMENT OF DEFENSE AND U.S. DOD CONTRACTORS ONLY, ADMINISTRATIVE OR OPERATIONAL USE, 04 APRIL 2018, OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO 406 SCMS/GULAA (PACKAGING DIVISION), TINKER AFB, OK 73145

SPECIAL PACKAGING INSTRUCTION				CODE ID 98748	SPI NO (TPO) F 01-217-0177
ITEM NOMENCLATURE FUEL CONTROL					SHEET 2 OF 4
12	1	SORBENT MATERIAL	AS REQUIRED	A-A-59759, TY. II OR EQUIVALENT	
11	1	ADHESIVE	AS REQUIRED	QPL-MMM-A-1617	
10	52	DESICCANT	AS REQUIRED	MIL-D-3464	
9	1	TOP DIE-CUT	27 1/4 X 16 X 4	A-A-59136	DETAIL "B"
8	1	WRAP	65 X 47	MIL-PRF-121	
7	1	BOTTOM DIE-CUT	27 1/4 X 16 X 4	A-A-59136	DETAIL "A"
6	1	INTERIOR CARTON	27 1/4 X 16 X 13 1/4 I.D.	ASTM-D-5118, RSC, CF, WR, SW, V3C	
5	1	BARRIER BAG	70 X 52	MIL-PRF-131	
4	2	END CUSHIONING	21 X 14 1/2 X 2	MIL-PRF-26514, TY. 1, CL. 2, GR. C	
3	2	SIDE CUSHIONING	28 1/4 X 14 1/2 X 2	MIL-PRF-26514, TY. 1, CL. 2, GR. C	
2	2	TOP & BOTTOM CUSHIONING	32 1/4 X 21 X 2	MIL-PRF-26514, TY. 1, CL. 2, GR. C	
1	1	CONTAINER I.D.	32 1/4 X 21 X 18 1/2	SEE LEVEL OF PACK	
PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. $\pm 1/8$, DECIMAL $\pm .10$, ANGLES $\pm 1^\circ$.	MATERIAL SPECIFICATION	

NOTES:

- 1) IF APPLICABLE: ITEMS WITH RESIDUAL FUEL USE SPI FWF-117-2012. MARK TYPE AND FLASH POINT OF PURGING FLUID IAW AFI 24-602V2, PARA. 2.16.6.3
- 2) ITEMS WHICH HAVE BEEN DRAINED AND PURGED, MUST BE ACCOMPANIED WITH A COMPLETED AFTO FORM 20 OR LOCALLY PRODUCED DOCUMENTATION CERTIFYING THE ITEM HAS BEEN PROPERLY DRAINED AND PURGED. ITEMS CONTAINING RESIDUAL FUEL MUST BE PACKED IN A LEAK-PROOF LINER, ABSORBENT MATERIALS IN A STRONG OUTER CONTAINER. MARK, LABEL AND DOCUMENT THE PACKAGE AS DANGEROUS GOODS IN APPARATUS, UN3363, CLASS 9 LABEL.
- 3) WRAP ITEM ENTIRELY WITH SORBENT MATERIAL P/N (12). MATERIAL MUST BE INSPECTED PRIOR TO REUSE. THIS REQUIREMENT DOES NOT APPLY TO NEW ITEMS.


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-217-0177

ITEM NOMENCLATURE FUEL CONTROL

SHEET 3 OF 4



SPECIAL PACKAGING INSTRUCTION

CODE ID
98748


SPI NO (TPO)
F 01-217-0177

ITEM NOMENCLATURE FUEL CONTROL

SHEET 4 OF 4


DETAIL "B"

9



DETAIL "A"

7



TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302601883-00	DATE INITIATED: 05 JUN 2026
COMMODITY: See Continuation		STOCK NUMBER: See Continuation	
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT			
☒ ORIGIN	☐ DESTINATION	☐ OTHER (<i>Specify</i>)	☒ DATA / FIRST ARTICLE F.O.B. DESTINATION
TRANSPORTATION PROVISIONS / CLAUSES			FAR CITATION
F.O.B. Origin			52.247-29
Freight Classification Description			52.247-53
Marking of Shipments			47.305-10
Contact DCMA Transportation NOTE TO CONTRACTOR: "Request access to the Procurements Integrated Enterprise Environment (PIEE) https://piee.eb.mil/ < https://piee.eb.mil/ > on all Defense Contract Management Agency (DCMA Contracts) for FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions. New users will need to gain access to the Shipping Instruction Request (SIR) under the PIEE Transportation tile by requesting the appropriate role which will be submitted to the cognizant Government Administrator (GAM) and Contractor Administrator/Account Manager (CAM) to gain systems access, roles, and permissions. Do not move any freight to a water or aerial port prior to shipping or it will become frustrated. Failure to contact the DCMA may result in additional expenditures borne by the vendor.			Vendor Transportation Instructions
TACRN: AAA			
TRANSPORTATION FUNDS INFORMATION: Purchase Instrument Line LOA: 97X4930.FC04 646 47GT 15380N 01N000 00000 000000 503000 F03000 FSR: 013352 PSR: K42904 First Destination Transportation Account Code: Miscellaneous Obligation / Reimbursement Document: Second Destination Transportation Account Code: FMS LOA: Additional Funding Information:			
ITEM / SHIP TO(s):			
NSN / Pseudo NSN: 2915DTH2601C2NZ Purchase Instrument Line Item Number: 0002 Ship to (DoDAAC / MAPAC): TBDTBD Mark For: Ship To (Address): WPOD: APOD: BBP / CCP: RIC: Ship To (Remarks):		Requisition Number: Supplemental Address: FMS Case:	
EVALUATION OF PORT BID OR PROPOSAL:			
SOLICITATION DATA NOTES: PLANNING PR			
OTHER TRANSPORTATION DATA:			
TACRN: AAB			

TRANSPORTATION FUNDS INFORMATION:
Purchase Instrument Line LOA: 97X4930.FC04 646 47GT 15380N 01N000 00000 000000 503000 F03000 FSR: 013352 PSR: K42904
First Destination Transportation Account Code: FRS2
Miscellaneous Obligation / Reimbursement Document:
Second Destination Transportation Account Code:
FMS LOA:
Additional Funding Information:

ITEM / SHIP TO(s):

NSN / Pseudo NSN: 2915012170177NZ Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: Account 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 TINKER AFB OK 73145 - 8000 USA WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):	Requisition Number: Supplemental Address: FMS Case:
--	--

EVALUATION OF PORT BID OR PROPOSAL:

SOLICITATION DATA NOTES:
PLANNING PR

OTHER TRANSPORTATION DATA:

NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE
Langford, Dorothy A	406 SCMS / GULAA	478-327-6593 / 497-6593	//SIGNED//Langford, Dorothy A	05 JUN 2026