

NSN: *LLS049545*

DDITIONAL REQUIREMENTS:

1. CLOTH MUST BE FLAME RESISTANT IAW NFPA 701 SMALL OR LARGE SCALE TEST.
2. CLOTH IS TO BE MARKED "FR" IN APPROXIMATELY 1" LETTERS
EVERY 24" ALONG THE ENTIRE LENGTH.
3. SIZE MARKED IN 1" NUMBERS ON ALL FOUR CORNER.

NSN: LLS052363

******ADDITIONAL REQUIREMENTS******

1. CLOTH MUST BE FLAME RESISTANT IAW NFPA 701 SMALL OR LARGE SCALE TEST.
2. CLOTH IS TO BE MARKED "FR" IN APPROXIMATELY 1" LETTERS
EVERY 24" ALONG THE ENTIRE LENGTH OF CLOTH
3. SIZE MARKED IN 1" NUMBERS ON ALL FOUR CORNER.

NSN: LLS052364

Additional requirements:

1. Cloth must be flame resistant IAW NFPA 701 small or large scale test.
2. Cloth is to be marked "FR" in approximately 1" letters every 24" along the entire length.
3. Standard commercial preservation & packing.
4. SIZE MARKED IN 1" NUMBERS ON ALL FOUR CORNER.

NSN: LLS052365

****ADDITIONAL REQUIREMENTS****

1. CLOTH MUST BE FLAME RESISTANT IAW NFPA 701 SMALL OR LARGE SCALE TEST.
2. CLOTH IS TO BE MARKED "FR" IN APPROXIMATELY 1" LETTERS EVERY 24" ALONG THE ENTIRE LENGTH OF TARP
3. 12' x 30' x 18/20 MIL THK, COLOR GRAY, W/EYLETTS EVERY 24"
4. SIZE MARKED IN 1" NUMBERS ON ALL FOUR CORNER.