

Purchase Description

Hanger, Wood, Coat & Suit

SCOPE: This purchase description is intended to provide for a wooden coat hanger for the United States Military Cadets. The hanger will be used by both male and female cadets in their barracks room. The hanger will be used to accommodate a wide array of clothing.

Requirement Synopsis: The hanger shall be designed and constructed with a space saving body, curved to mimic the shape of the body to form fit suit coats, coats, jackets and other garments to help preserve their shape. The hanger shall be designed for the option of hanging strap garments securely. **The hanger shall have a non-slip wooden trouser bar. When submitting sample, sample will be fully assembled with proper specifications.** Please reference photos for reference and example purposes.

1. Product Detail:

- 1.1 Hanger shall be constructed with sturdy, high quality hardwood.
- 1.2 The hanger shall be smooth and appropriately finished to prevent garment snags.
- 1.3 The hanger shall have a metal, chrome hanging hook.
- 1.4 The hanger shall be shaped and/or curved to accommodate a suit coat or jacket and other garments. Hangers with one or two piece shoulder arms are acceptable.
- 1.5 The hanger shall have a non-slip wooden trouser bar constructed and designed to prevent trousers from slipping off during storage or transport. The trouser bar shall not have a separate metal retaining bar.
- 1.6 The hanger shall be designed and constructed with either conventional notches, scoring or method to allow the hanging of garments with straps to hold them securely without slipping. Please see photos for reference and examples.

2. Hanger Dimensions:

- 2.1 The hangers shall be approximately 17-1/2 inches (17.5 inches) long/wide **+/- 1/2 inch** and the wood thickness shall be 7/16 to 9/16 of an inch (0.437 to 0.562 inch) measured on the bottom side of the shoulder arms.
- 2.2 The height of the entire hanger when stood up on a level surface measured from the surface to the top of the chrome hook shall be no less than 9-5/8 inch, (9.625 inch) **+/- 1/2 inch**.
- 2.3 The height of the hanger body where the chrome hanging hook is, measured on the front side shall be no less than 1-3/4 inch (1.75 inch) **+/- 1/2 inch**.

2.4 The shoulder arms shall have no point measured on the front side shorter (smaller) than $\frac{3}{4}$ inch (0.75 inch)

3. Packaging: The Cadets are issued 18 hangers each. The packaging shall be conducive to this issue measure as follows;

3.1 The hangers shall come securely bundled, packaged, boxed with 18 hangers in a bundle, package or box. If bundled or packaged the conveyance shall be secure and sturdy enough to withstand normal shipping, storage and handling conditions. The “Unit of Issue” will be referred to as one unit of 18 each hangers. Each of these units of issue may come in Multi-packs, cases or larger boxes containing multiple units of issue.

Add: Must label all boxes with nomenclature and quantity


4. Color: The wood color natural / smooth and semi polished

This photo provides a general example of the front view of one of the various acceptable hangers. It also defines items in paragraph 2


Height: No less than 1-3/4 inch (1.75 inch)

This measurement is provided to define the requirement in paragraph 2.4

Length: Approximately 17-1/2 inches (17.5 inches)
Long/Wide




This photo defines the requirement in paragraph 2.2,
Hanger height: No less than 9-5/8 inches
(9.625inches)




This photo is provided to show an example of the angled shoulder arms to create a shaped hanger


This measurement is provided to define the wood thickness of 7/16 to 9/16 inch (.0437 to 0.562 inches) in paragraph 2.1



General reference photo of the required curved or shaped feature of the hanger




Reference for angle and curvature of hanger



Reference photo to depict one of the various ways to
provide for the requirement in paragraph 1.6

(Note: The actual provided hanger shall have a non-
slip pant bar)



Reference to show an example of an acceptable hook component




Photo for reference to demonstrate the shape of an acceptable hanger. The Hanger shall not lay flat when placed on a flat surface. This is to meet the requirement in paragraph 1.4





Photo reference to support paragraph
1.4



This photo is meant to show one of the various ways
of how the hanger arms can be joined at an angle to
shape the hanger in a curved fashion to support the
requirement in paragraph 1.4

5. Hanger sample color photos: Venders shall mail color photos showing the color of the hanger, demensions, construction and state manufacturing country of origin. Please document the photos as seen in the photos above. The photos mailed in need to arrive before the solicitation closes. Disqualification: If the hangers come from China or any other country which doesn't comply with Buy America the vender sample will be disqualified.