

SPECIAL PACKAGING INSTRUCTION			CODE ID 98748	SPI NO (TPO) F 01-384-9460
			SHEET 1 OF 5	
PART OR DRAWING NO. 4080672-01	NATIONAL STOCK NO. 2915-01-384-9460	CURR REV B	ILL M. HEADLEE PS T.C. JONES CHK H. HOLINSWORTH ENGR M. HEADLEE AUTH C. TROTTER	
ITEM NOMENCLATURE SPRAY MANIFOLD		ORIG DATE 12056		

PRESERVATION IAW MIL-STD-2073

SERVICEABLE METHOD: 10

UNSERVICEABLE METHOD: 10

QUP 001

ICQ N/A

CLEANING & DRYING IAW MIL-STD-2073

PRESERVATIVE N/A

MARKING IAW MIL-STD-129

CLOSURE

LEVEL A: N/A

LEVEL B: ASTM-D-1974

SPECIAL MARKINGS:

A) SPI NO. F 01-384-9460

B) REUSABLE CONTAINER AND DUNNAGE

DO NOT DESTROY.

C) NOT FOR OUTSIDE STORAGE.

D) FLASH POINT

4

5

LEVEL SPEC STYLE TYPE CL VRTY GR TR

A N/A N/A N/A N/A N/A N/A N/A

B ASTM-D-5118 FTC CF WR DW V13C N/A

LEVEL A

LEVEL B

GROSS CU FT N/A 9.051

GROSS WT LBS N/A 25

DESIGN FRAGILITY G N/A N/A

CNTNR I.D. LENGTH WIDTH DEPTH

LEVEL A: N/A N/A N/A

LEVEL B: 42 42 8 1/2

CNTNR O.D. LENGTH WIDTH DEPTH

LEVEL A: N/A N/A N/A

LEVEL B: 43 7/8 43 7/8 9 1/8

ITEM DIM 34 1/2 27 5.3

ITEM WT LBS 5.2 LBS.

ADDITIONAL MARKINGS FOR ITEMS WITH RESIDUAL FUEL:

A) DANGEROUS GOODS IN APPARATUS, UN3363.

B) CLASS 9 LABEL.

C) TYPE AND FLASH POINT OF FUEL

REVISIONS			
LTR	DESCRIPTION	DATE	APRVD
	NEW	12056	
A	INCREASED CONTAINER DEPTH & UPPER SUPPORTS, ADDITIONAL NOTCH ON UPPER SUPPORTS	12355	TC
B	ADDED SORBENT MATERIAL & RESIDUAL FUEL MARKINGS & NOTES	15117	HH

CAUTION

ITEMS CONTAINING RESIDUAL FUEL ARE CONSIDERED HAZARDOUS MATERIALS AND MUST BE PACKED IAW THE APPROPRIATE HAZARDOUS MATERIAL REGULATION AND CERTIFIED BY AUTHORIZED HAZARDOUS MATERIAL PERSONNEL.

SPECIAL PACKAGING INSTRUCTION	CODE ID 98748	SPI NO (TPO) F 01-384-9460
-------------------------------	------------------	-------------------------------

ITEM NOMENCLATURE SPRAY MANIFOLD	SHEET 2 OF 5
-------------------------------------	--------------

6	1	SORBENT MATERIAL	AS REQUIRED	A-A-59759 TY. II OR EQUIVALENT	7
5	1	SUPPORT HOLD-DOWN	58 3/8 X 7 3/4 X 9/16	ASTM-D-4727, WR, TW, DETAIL "C"	3
4	1	SUPPORT HOLD-DOWN	58 3/8 X 7 3/4 X 9/16	ASTM-D-4727, WR, TW, DETAIL "B"	3
3	1	BOTTOM SUPPORT	41 3/4 X 41 3/4 X 3/4	ASTM-D-4727, WR DETAIL "A"	
2	2	WRAP	48 X 48	A-A-3174	
1	1	CONTAINER I.D.	42 X 42 X 8 1/2	SEE LEVEL OF PACK	

PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. $\pm 1/8$, DECIMAL $\pm .10$, ANGLES $\pm 1^\circ$.	MATERIAL SPECIFICATION
----------	------	-----------------------------	---	------------------------

NOTES:

- 1) PLACE WRAPPED ITEM INTO CONTAINER AND ORIENT FEED TUBES TOWARDS A BOX CORNER.
- 2) ORIENT THE ASSEMBLED PARTITION IN THE CONTAINER WITH THE APPROPRIATE SIDE (A OR B) FACING DOWN SO THAT THE ELEVATED PORTIONS OF THE PART ARE NOT CONSTRAINED.
- SEE TABLE ONE -
- 3) MARK "A" AND "B" AS SHOWN ON SUPPORT ④ AND ⑤ WITH A 1/2" MINIMUM TYPE.
- 4) I.D. TAGS MUST BE STAMPED BY RESPONSIBLE PARTY SIGNIFYING ITEM HAS BEEN PREPARED FOR SHIPMENT/STORAGE IAW APPLICABLE T.O.
- 5) ITEMS WHICH HAVE BEEN DRAINED AND PURGED, MUST BE ACCOMPANIED WITH A COMPLETED AFTO FORM 20 OR LOCALLY PRODUCED DOCUMENTATION CERTIFYING THE ITEM HAS BEEN PROPERLY DRAINED AND PURGED. ITEMS CONTAINING RESIDUAL FUEL MUST BE PACKED IN A LEAK-PROOF LINER AND ABSORBENT MATERIALS IN A STRONG OUTER CONTAINER. MARK, LABEL AND DOCUMENT THE PACKAGE AS DANGEROUS GOODS IN APPARATUS, UN3363, CLASS 9.
- 6) IF APPLICABLE: MARK TYPE AND FLASH POINT OF PURGING FLUID IAW AFI 24-203, 4.3.3 AND AFI 24-204, A.3.3.9.5.4.
- 7) WRAP ITEM ENTIRELY WITH SORBENT MATERIAL ⑥. THIS REQUIREMENT MAY BE OMITTED FOR NEW ITEMS. SORBENT MATERIAL MUST BE INSPECTED PRIOR TO REUSE.

TABLE ONE	
NSN	PART NUMBER
2915-01-384-9460	SIDE A DOWN
2915-01-439-2368	SIDE B DOWN
2915-01-493-9532	SIDE A DOWN
2915-01-471-3479	SIDE B DOWN
2915-01-550-3637	SIDE B DOWN


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-384-9460

ITEM NOMENCLATURE
SPRAY MANIFOLD

SHEET 3 OF 5




SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-384-9460

ITEM NOMENCLATURE
SPRAY MANIFOLD

SHEET 4 OF 5



SUPPORT (3)


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748


SPI NO (TPO)
F 01-384-9460

ITEM NOMENCLATURE
SPRAY MANIFOLD

SHEET 5 OF 5



SUPPORT (4)
DETAIL "B"



SUPPORT (5)
DETAIL "C"